

HIKOKI TAX-TIME TOOL DEALS

SAVE MORE, BUILD MORE! POWER TOOLS FOR EVERY PROJECT.

SPEND BETWEEN \$499 - \$798
ON HIKOKI POWER TOOLS TO REDEEM*



18/36V
MULTI VOLT BATTERY
1 x BSL36A18X

SPEND BETWEEN \$799 - \$1298
ON HIKOKI POWER TOOLS TO REDEEM*



18V BRUSHLESS
AIR DUSTER
1 x RA18DA

OR



18V BLUETOOTH RADIO
1 x UR18DA

SPEND BETWEEN \$1299 - \$1998
ON HIKOKI POWER TOOLS TO REDEEM*



18V CORDLESS INFLATOR +
MULTI VOLT BATTERY & CHARGER
1 x UP18DA
1 x BSL36A18X
1 x UC18YSL3

OR



MULTIVOLT BATTERY +
T-PWR MULTIVOLT BATTERY
1 x BSL36A18X
1 x BSL3640MVT

SPEND \$1999 or MORE
ON HIKOKI POWER TOOLS TO REDEEM*



18V CORDLESS
L-CLASS VACUUM
1 x RP18DLA
1 x BSL36A18X
1 x UC18YSL3

OR



T-PWR MULTIVOLT
BATTERY TWIN PACK
2 x BSL3640MVT

***ONLY ONE REDEMPTION ITEM PER INVOICE.**
FOR FULL DETAILS, PLEASE REFER TO THE TERMS & CONDITIONS

*Via redemption, while stocks last. **REDEMPTION ITEMS CANNOT** be swapped.
To redeem visit hikokipowertools.com.au and click on the Redemption Page.
Offer valid for eligible purchases from **April 1st – September 30th 2025**
Final Submission Cut Off: 14th October 2025. Full terms & conditions apply.



hikokipowertools.com.au

UNLEASH SUPERIOR NAILING



LEARN
MORE



NEW
INNOVATIVE MODEL

BRUSHLESS

**AIR SPRING
DRIVE SYSTEM**

**MORE
POWER**

**LIGHT
WEIGHT**

**FAST
NAILING**

NR1890DCA 90mm FRAMING NAILER FEATURES



AGGRESSIVE NEW NOSE

For effortless skew nailing even on extreme angles.



NEW BELT / RAFTER HOOK

Easily switch the hook to the left or right side.



DURABLE ALLOY MAGAZINE

New lightweight magazine for quick nail loading and easy cleaning.



POWERFUL LED LIGHT

Bright LED light for low light applications.

LIGHTWEIGHT SLIM BODY

This new 18V Gasless Framing Nailer is lighter, slimmer and more ergonomic than before. Featuring an advanced new brushless motor and slimline high pressure air chamber, this lightweight, compact framing nailer delivers you more power and performance.





NEW 18V Gasless 90mm Framing Nailer Kit

NR1890DCA(HMZ)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Configurable belt/rafter hook

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hook	Belt/Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm




Scan for full tool specs.

OPTIONAL ACCESSORIES

EXTENDED MAGAZINE
382417



NO MAR TIP
382493



NEW 18V Gasless 90mm Framing Nailer Kit

NR1890DCA(SP1Z)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Configurable belt/rafter hook

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 1 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hook	Belt/Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm



Scan for full tool specs.

NEW 18V Gasless 90mm Framing Nailer (Skin only)

NR1890DCA(H4Z)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Configurable belt/rafter hook

Skin, Belt Hook, Torx Key, Standard Magazine, Safety Glasses. Supplied without battery & charger.

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hook	Belt/Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm



Scan for full tool specs.



NEW 18V Gasless 15G Angle Finishing Nailer (Skin only)
NT1865DAA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin supplied in Cardboard Box, includes belt hook, safety glasses, 3 x no mar tips. Supplied without batteries and charger.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	15G DA Series
Nail length	32 to 64mm
Nail angle	34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Nails



Scan for full tool specs.

NEW 18V Gasless 15G Angle Finishing Nailer Kit
NT1865DAA(HXZ)

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	15G DA Series
Nail length	32 to 64mm
Nail angle	34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Nails



Scan for full tool specs.

NEW 18V Gasless 16G Straight Brad Nailer (Skin only)
NT1865DSA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin supplied in Cardboard Box, includes belt hook, safety glasses, 3 x no mar tips. Supplied without batteries and charger.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	16G C Series
Nail length	25 to 64mm
Nail angle	Straight
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Nails



Scan for full tool specs.

NEW 18V Gasless 16G Straight Brad Nailer Kit
NT1865DSA(HXZ)

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	16G C Series
Nail length	25 to 64mm
Nail angle	Straight
Magazine capacity	100 Nails



Scan for full tool specs.

18V Gasless 18G Straight Brad Nailer (Skin only)
NT1850DA(H4Z)

- Improved new design that's slimmer and lighter
- Unique Air Spring Drive System
- More power - Sinks 18G C1 series nails with ease
- New slimline nose for precision nailing

Supplied with Belt Hook, 3x No-Mar Tip.
Supplied without battery and charger.



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	18G C1 Series
Nail Length	16 to 50mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.

18V Gasless 18G Straight Brad Nailer Kit
NT1850DA(HRZ)

- Improved new design that's slimmer and lighter
- Unique Air Spring Drive System
- More power - Sinks 18G C1 series nails with ease
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	18G C1 Series
Nail Length	16 to 50mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.



36V Gasless Metal Connector Nailer

NR3665DA(H4Z)

- More power - Drives 64mm long nails with ease
- Unique Air Spring Drive System
- Easily set the tip of the nailer at the hole of the metal connector for accurate nailing
- Designed for pre-punched hole metal connectors



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Metal Connector
Nail Length	38 to 64mm
Nail Angle	34°
Nose Type	Positive Probe
Dry-fire lockout mechanism	✓
Belt Hook	Steel
Magazine Capacity	31 Nails



Scan for full tool specs.

NEW 36V Gasless Duplex Nailer (Skin only)

NR3675DD(W6Z)

- Innovative duplex nailer for temporary fixings
- More Power - Drives 75mm duplex nails with ease
- Unique Air Spring Drive System
- Dry-fire lockout system

Supplied with Belt Hook, Case 4.
Supplied without battery and charger.



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Duplex Nails
Nail Length	45 to 75mm
Nail Angle	21°
Depth Adjustment	Tool-less
Dry-fire lockout mechanism	✓
Belt Hook	Steel
Magazine Capacity	35 Nails



Scan for full tool specs.

NEW 18V Cordless 23G Pin Nailer (Skin only)

NP18DSAL(W4Z)

- Compact and lightweight design
- Powerful nailing - sinks 23G pins with ease
- Fast pin nailing speeds
- HiKOKI Spring Drive System

Skin supplied in Cardboard Box, includes safety glasses, nose cap set (mounted on tool), hex key (4mm). Supplied without batteries and charger.



Specifications

Voltage	18V
Driving system	Spring Drive
Nail type	23G Pin Nails
Nail length	15 to 35mm
Nose type	Precision Nose
Depth adjustment	Tool-less
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Pins



Scan for full tool specs.

NEW 18V Gasless 18G Stapler (Skin only)

N1804DA(W4Z)

- Compact and lightweight design for optimal operation
- Unique Air Spring Drive System
- Fast stapling - drives 18G staples with ease
- Shoots up to 1000 staples with a BSL1820M

Skin supplied in Cardboard Box, includes belt hook, safety glasses, nose cap. Supplied without batteries and charger.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Staple type	Crown Gauge
Staple length	18G 1/4"
Wire thickness	1.25mm
Depth adjustment	Tool-less
LED light	✓
Belt hook	✓
Magazine capacity	100 Staples



Scan for full tool specs.

NEW 18V Cordless 13mm Fine Wire Stapler (Skin only)

N1812DA(W4Z)

- Optimal use for fastening of fabrics, leather, foils, plastic and cardboard
- Fast stapling speed for fastest working progress
- Compact and lightweight design
- Slim design allows to set staples as close as 4mm

Supplied with Belt Hook.
Supplied without battery and charger.



Specifications

Voltage	18V
Driving system	Spring Drive
Staple type	Crown width
Staple length	13mm
Wire thickness	6 - 13mm
Quick stapling speed	0.5 x 0.7mm
Dry-fire lockout mechanism	Up to 5 staples/sec
Belt hook	✓
Magazine capacity	✓
	150 Staples



Scan for full tool specs.

NEW 18V Cordless 10mm Fine Wire Stapler (Skin only)

N1810DA(W4Z)

- Optimal use for fastening of fabrics, leather, foils, plastics and cardboard
- Fast stapling speed for fastest working progress
- Compact and lightweight design
- Slim design allows to set staples as close as 4mm

Skin supplied in Cardboard Box.
Supplied without batteries and charger.



Specifications

Voltage	18V
Driving system	Spring Drive
Staple type	Crown width
Staple length	10mm
Wire thickness	7 - 10mm
Quick stapling speed	0.5 x 0.7mm
Dry-fire lockout mechanism	Up to 5 staples/sec
Belt hook	✓
Magazine capacity	✓
	150 Staples



Scan for full tool specs.

NEW ARRIVALS

NEW 18V Cordless Spotlight (Skin only)

UB18DH(W4Z)

- Beam Distance of 670m
- Sliding Lens Ring for Mode Switching
- Large Head Hook
- Adjustable Brightness and Strobe Mode



Specifications

Voltage	18V	
Beam Distance (Spot Mode)	High:	670m
	Medium:	570m
	Low:	420m
Brightness Adjustment Range (Spot/Wide)	Spot	Wide
	High:	950lm
	Medium:	750lm
	Low:	400lm
	Medium:	800lm
	Low:	450lm



Scan for full tool specs.

NEW 18V Cordless Inflator (Skin only)

UP18DA(W4Z)

- Dual Inflation Modes
- Auto Stop Function
- Dual Power Options
- Smart Accessory Storage



Specifications

Voltage	18V	
Power Supply	DC Cord: DC	Battery: BSL18
	12V (in-car power supply)	18V Slide Type / MultiVolt
Maximum Pressure (PSI)	160PSI	
Filling Capacity*2 (L/min)	High-Volume Mode:	430L/min
	High-Pressure Mode:	16L/min



Scan for full tool specs.

NEW 18V Brushless Air Duster (Skin only)

RA18DA(W4Z)

- Compact and lightweight design
- High Air Velocity
- Inflates/Deflates Leisure Goods
- Brushless Motor



Specifications

Voltage	18V	
Motor	Brushless	
No-Load Speed	89,000/min	
Maximum Air Flow*1	0.7m ³ /min	
Air Velocity*2	Maximum:	122m/s
	Average:	100m/s
Maximum Pressure (PSI)	2.61PSI	
Type of Switch	Variable Speed Trigger Switch	



Scan for full tool specs.

NEW 18V Cordless L-Class Vacuum Cleaner (Skin only)

RP18DLA(W4Z)

- Compact and lightweight design
- Two Suction Modes (Eco & Boost)
- Dry & Wet Vacuuming
- Blower Function



Specifications

Voltage	18V	
Application	Wet & Dry use	
Dust Class	Class L	
Filter Type	EPA	
Suction Work Rate	Eco(I):	40W
	Boost (II):	90W
Operating Time*1	Eco(I):	Approx. 44.5mins
	Boost (II):	Approx. 26mins



Scan for full tool specs.

NEW 36V Brushless Band Saw (Skin only)

CB3612DA(W4Z)

- Highest Cutting Speed & Longest Blade Life
- LED Light for Enhanced Visibility
- Integrated Hook for Easy Storage
- 36V Brushless Motor



Specifications

Voltage	36V	
Motor Type	Brushless	
Band Saw Peripheral Speed (DC)	1 - 3.2m/s (60 - 195m/min)	
Cutting Capacity	Round Pipe: 120mm	Square Pipe: 127 x 120mm
Fixed Speed Control	No	
Auto Mode	✓	
LED Light	✓	
Constant Speed Control	✓	



Scan for full tool specs.

NEW 3.6V Cordless Pencil Driver Drill

DB3DA(HLZ)

- Auto-Stop Clutch
- One-Touch Bit Installation
- 21 Clutch Settings
- Includes 3.6V 2.0Ah Battery



Specifications

Voltage	3.6V	
Battery Capacity (Ah)	2.0Ah	
Max Torque (Nm)	5.0Nm	
No-Load Speed (min-1)	High:	600 min-1
	Low:	200 min-1
Clutch Settings	21	



Scan for full tool specs.

TAX TIME OFFERS

18V Brushless Framing & 15G Finishing Nailer Combo

NAILERMASTERKIT(HRZ)



\$1,599^{RRP*}

- 1 x **NR1890DCA(H4Z)** 18V Brushless Framing Nailer
- 1 x **NT1865DAA(H4Z)** 18V Brushless 15 Gauge Finishing Nailer
- 2 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling & USB Port
- 1 x **379487** Multi Cruiser Carry Box

18V Brushless Framing & 36V Metal Connector Nailer Combo

FRAMERAPNKIT(HRZ)



\$1,499^{RRP*}

- 1 x **NR1890DCA(H4Z)** 18V Brushless Framing Nailer
- 1 x **NR3665DA(H4Z)** 36V Gasless Metal Connector Nailer
- 2 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling & USB Port
- 1 x **379487** Multi Cruiser Carry Box

18V Framing and Nailer Combo Pack

NAILERMASTERFIN(HRZ)



\$1,599^{RRP*}

- 1 x **NR1890DCA(H4Z)** 18V Brushless Framing Nailer
- 1 x **NT1865DSA(H4Z)** 18V Brushless 16 Gauge Finishing Nailer
- 2 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling & USB Port
- 1 x **379487** Multi Cruiser Carry Box

18V Carpentry Starter Kit

CHIPPYKIT1(HRZ)



\$1,499^{RRP*}

- 1 x **NR1890DCA(H4Z)** 18V Brushless Framing Nailer
- 1 x **WH18DC(H4Z)** 18V Brushless Impact Driver
- 1 x **DV18DC(H4Z)** 18V Brushless Impact (Hammer) Driver Drill
- 1 x **C1806DB(H4Z)** 18V 165mm Brushless Circular Saw
- 1 x **P18DSL(H4Z)** 18V 82mm Planer
- 2 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling

18V Multi Volt 3 Piece Brushless Combo

KC18DE(GMZ)



\$649^{RRP*}

- 1 x **WH18DE (H4Z)** 18V Brushless Impact Driver
- 1 x **DV18DE (H4Z)** 18V Brushless Impact Driver Drill
- 1 x **G1813DA(H4Z)** 18V 125mm Angle Grinder with Slide Switch
- 2 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling

254mm Table saw & Air Duster Combo

C10RJRA(PMZ)



\$799^{RRP*}

- 1 x **C10RJ(H1Z)** AC Table Saw
- 1 x **RA18DA(H4Z)** 18 V Air Duster
- 1 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling

18V 4,000lm light stand Combo

UB18DG(SP1Z)



\$499^{RRP*}

- 1 x **UB18DG(H4Z)** 18V 4000lm Cordless Stand Light
- 1 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling

18V Cordless Radio Combo

UR18DA(SP1Z)



\$299^{RRP*}

- 1 x **UR18DA(H4Z)** 18V Cordless Bluetooth Radio
- 1 x **BSL36A18X** Li-ion Slide Battery A
- 1 x **UC18YSL3(H0Z)** Rapid Charger with Cooling

18V Brushless 2 Piece Combo

KC18DD(PMZ)



\$299^{RRP*}

- 1 x **DV18DD(H4Z)** 18V Impact Driver Drill
- 1 x **WH18DD(H4Z)** 18V Slide Impact Driver Drill
- 1 x **RB18DC(H4Z)** 18V Cordless Blower **BONUS**
- 2 x **BSL1820M** 18V 2.0Ah Slide Li-ion battery
- 1 x **UC18YKSL** 18V Li-ion Charger
- 1 x Carry Box

***Available at your local HiKOKI Dealer.**
All prices include GST.

ENERGISE

YOUR PERFORMANCE

HiKOKI T-PWR **BATTERY SERIES**

THE NEW TABLESS CELL TECHNOLOGY



Ready for next-level energy? The HiKOKI T-PWR battery is your power source, engineered to supercharge your performance and ready to conquer your challenging goals.

MAKE. MOVE. GO

HiKOKI

COMPATIBLE WITH 180+ 36V AND 18V HIKOKI POWER TOOLS

MORE POWER

MAXIMIZE YOUR PRODUCTIVITY

Go for more power with the HIKOKI T-PWR battery, delivering ease and efficiency. You'll finish projects faster, giving you extra time to focus on new tasks or enjoy some personal time after a hard day's work.



FASTER WORKING

WORK SMARTER, NOT HARDER

Keep pushing, keep building, and let nothing slow you down. Complete heavy duty projects with fewer interruptions. Finish strong and make time for tackling your next big project or taking a break.



LONGER RUNTIME


GO FURTHER

Go further and keep your tools running cooler and stronger, ready to perform during heavy-duty tasks. Trust your gear, leave doubt behind, and face the toughest challenges head-on.




TABLESS CELL TECHNOLOGY

The HIKOKI T-PWR Tabless Battery (BSL3640MVT) has been built with less internal resistance allowing for more power to flow from the tabless battery to the power tool increasing both the overload capacity and tool speed.



Standard cell



Tabless cell

2160W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
TABLESS CELLS



BSL3640MVT

HIGH OUTPUT TABLESS BATTERY

1080W

MAX OUTPUT

5.0AH (18V)

2.5AH (36V)

18650

HIGH OUTPUT
CELLS



BSL36A18X

HIGH OUTPUT BATTERY

1440W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
CELLS



BSL36B18X

HIGH OUTPUT BATTERY

ENERGISE YOUR PERFORMANCE

UP TO
50%
MORE POWER*

*Comparison of BSL3640MVT and
BSL3640MVBTT (2,160W Output)
batteries with BSL36B18X and
BSL36B18 (1,440 W Output) batteries.

UP TO
100%
LONGER RUNTIME*

*Internal test results of BSL36B18X
and BSL36B18 batteries at 40A
continuous discharge

UP TO
75%
MORE CUTS IN WOOD*

*Use C3606DB 36V circular saw
to cut Northern Japanese hemlock
(T60xL300 mm) with 60 N of pressing
force. Compared to BSL36B18BX/
BSL36B18 battery.

2160W


MAX. POWER OUTPUT

1500

RECHARGE CYCLES



CHARGE FASTER. *GO FURTHER.*



FAST CHARGER UC36YSL2

Get back to work in no time with the newest HiKOKI Fast Charger. The UC36YSL2 delivers lightning-fast charging, thanks to its advanced cooling system and overcharging and overheating protection. Its bright charge status light makes it easy to check the battery anywhere on the worksite, always signaling that you're ready to start your next project. Go get yours!

* VS. UC18YSL3. When charging a BSL3640MVT/BSL36B18X/BSL36B18 battery.

NEW

HIKOKI **2ND GENERATION** **CORDLESS** **NAILERS**



FASTER.
LIGHTER.
MORE
POWER.



hikokipowertools.com.au