

REDEMPTION OFFERS FOR HIKOKI CORDLESS TOOL PURCHASES \$699 & OVER.

Offer only valid with the purchase of HiKOKI cordless tools. *Strictly 1 redemption item per invoice. See terms & conditions inside.

REDEMPTIONS

TERMS & CONDITIONS

ONLY ONE REDEMPTION ITEM PER INVOICE*

* Via redemption, while stocks last. REDEMPTION ITEMS CANNOT be swapped. To redeem please visit hikokipowertools.com.au and click on the Redemption Page. Offer valid for eligible purchases from October 1st to March 31st 2026. Final Submission Cut Off: 14th April 2026. Full terms & conditions apply.

SPEND BETWEEN

\$699_\$998

ON HIKOKI CORDLESS POWER TOOLS TO

REDEEM



1 x MULTIVOLT BATTERY 36V 2.5 Ah / 18V 5.0 Ah BSL36A18X SPEND BETWEEN

\$999-\$1298

ON HIKOKI CORDLESS POWER TOOLS TO

REDEEM



2 x MULTIVOLT BATTERIES 36V 2.5 Ah / 18V 5.0 Ah BSL36A18X SPEND OVER

\$1299 OR OVER

ON HIKOKI CORDLESS POWER TOOLS TO

REDEEM



3 x MULTIVOLT BATTERIES 36V 2.5 Ah / 18V 5.0 Ah BSL36A18X

CONCRETE NAILING WITH EASE

NC1840DAH3ZCONCRETE NAILER

BRUSHLESS

CC PIR SPRING



NEV INNOVATIVE MODEL



LEARN MORE

HIGH DRIVING SPEED NO GAS CARTRIDGES DEPTH ADJUSTMENT

COMING SOON

CONCRETE NAILS

FOR HARD CONCRETE & STEEL

Applications:

- · Fastening in high-strength concrete
- Installation on or in steel profiles
- Ideal for industrial applications

0000000000

15mm - 4100467

17mm - 4100468

27

27mm - 4100470

6666855555

32mm - 4100471

8888888888

40mm - 4100472





18V | Gasless 90mm Framing Nailer Kit

NR1890DCAHMZ

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

	Voltage		18V	
	Driving system		Air Spring	Drive
	Nail type		Clipped H	ead
	Nail length		50 to 90m	ım
	Nail angle		30 to 34°	
	Depth adjustment	Tool-less	\checkmark	
	Dry-fire lockout mechanism		\checkmark	
	Battery level indicator	On battery	\checkmark	
	LED light		\checkmark	
	Hooks	Belt+Rafter	\checkmark	
	Magazine capacity		50 Nails	
	Dimensions (H x D x L)		359×133	× 317mm





OPTIONAL ACCESSORIES Extended Magazine 382417 No Mar Tip 382493

18V | Gasless 90mm Framing Nailer Kit

NR1890DCASP1Z (AU40100068)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 1 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port

Specifications

Voltage		18V
Driving system		Air Spring Drive
Nail type		Clipped Head
Nail length		50 to 90mm
Nail angle		30 to 34°
Depth adjustment	Tool-less	\checkmark
Dry-fire lockout mechanism		\checkmark
Battery level indicator	On battery	\checkmark
LED light		\checkmark
Hooks	Belt+Rafter	\checkmark
Magazine capacity		50 Nails
Dimensions (H x D x L)		359 × 133 × 317mm



Scan for full tool specs.

18V | Gasless 90mm Framing Nailer

NR1890DCAH4Z

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, Belt Hook, Torx Key, Standard Magazine, Safety Glasses.

Skin only.

Specifications		
Voltage		18V
Driving system		Air Spring Drive
Nail type		Clipped Head
Nail length		50 to 90mm
Nail angle		30 to 34°
Depth adjustment	Tool-less	\checkmark
Dry-fire lockout mechanism		\checkmark
Battery level indicator	On battery	\checkmark
LED light		\checkmark
Hooks	Belt+Rafter	\checkmark
Magazine capacity		50 Nails
Dimensions (H x D x L)		$359\times133\times317\text{mm}$



Scan for full tool specs.



18V | Gasless 15G Angle Finishing Nailer Kit

NT1865DAAHXZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- More power sinks 64mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

Voltage		18V
Driving system		Air Spring Drive
Nail type		15G DA Series
Nail length		32 to 64mm
Nail angle		34°
Depth adjustment	Tool-less	\checkmark
Dry-fire lockout mechanism		\checkmark
Belt hook		\checkmark
Magazine capacity		100 Nails



Scan for full tool specs.

18V | Gasless Metal Connector Nailer

NR3665DAH4Z

- More power Drives 64mm long nails with ease
- Unique Air Spring Drive System
- Easily set the tip of the nailer at the hole of the metal connector for accurate nailing
- Designed for pre-punched hole metal connectors Skin only.

HANDAM TO THE PARTY OF THE PART

Specifications

	Voltage		36V
	Driving System		Air Spring Drive
	Nail Type		Metal Connector
	Nail Length		38 to 64mm
	Nail Angle		34°
	Nose Type		Positive Probe
	Dry-fire lockout mechanism		\checkmark
	Belt Hook	Steel	\checkmark
	Magazine Capacity		31 Nails



Scan for full tool specs.

18V | Gasless 16G Straight Finishing Nailer kit

NT1865DSAHXZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- More power sinks 64mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

opoumounono		
Voltage		18V
Driving system		Air Spring Drive
Nail type		16G C Series
Nail length		25 to 64mm
Nail angle		Straight
Belt Hook	Belt Hook	\checkmark
Magazine capacity		100 Nails



Scan for full tool specs.

36V | Gasless Duplex Nailer

NR3675DDW6Z

- Innovative duplex nailer for temporary fixings
- More Power Drives 75mm duplex nails with ease
- Unique Air Spring Drive System
- Dry-fire lockout system

Supplied with Belt Hook, Case 4. Skin only.

Specifications

Voltage		36V
Driving System		Air Spring Drive
Nail Type		Duplex Nails
Nail Length		45 to 75mm
Nail Angle		21°
Depth Adjustment	Tool-less	\checkmark
Dry-fire lockout mechanism		\checkmark
Belt Hook	Steel	\checkmark
Magazine Capacity		35 Nails





Scan for full tool specs.

18V | Gasless 18G Straight Brad Nailer Kit

NT1850DAHRZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- Unique Air Spring Drive System
- \blacksquare More power Sinks 18G C1 series nails with ease
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

Voltage		18V
Driving System		Air Spring Drive
Nail Type		18G C1 Series
Nail Length		16 to 50mm
Nail Angle		Straight
Depth Adjustment	Tool-less	\checkmark
Dry-fire lockout mechanism		\checkmark
Belt Hook	Steel	\checkmark
Magazine Capacity		100 Nails



Scan for full tool specs.

NEW Duplex Nails

Three sizes available:

4100441 - 3.3 x 45/57mm 4100442 - 3.3 x 58/70mm 4100443 - 3.3 x 77/89mm

- Innovative Duplex Nails for temporary fixings and formwork
- The nail is fired to the depth of the first head, leaving the second head exposed, allowing quick and easy removal
- Plastic-collated
- 21° nail angle
- Finish: Bright
- Shank type: Smooth
- Packs of 2,000 nails





NEW 18V | Cordless 23G Pin Nailer

NP18DSALW4Z

- Compact and lightweight design
- Powerful nailing sinks 23G pins with ease
- Fast pin nailing speeds
- HiKOKI Spring Drive System

Skin supplied in Cardboard Box, includes safety glasses, nose cap set (mounted on tool), hex key (4mm). Skin only.

Specifications

Specifications				
Voltage		18V		
Driving system		Spring Drive		
Nail type		23G Pin Nails		
Nail length		15 to 35mm		
Nose type		Precision Nose		
Depth adjustment	Tool-less	\checkmark		
Dry-fire lockout mechanism		\checkmark		
Belt hook		\checkmark		
Magazine capacity		100 Pins		





Scan for full tool specs.

NEW 18V | Gasless 18G Stapler

N1804DAW4Z

- Compact and lightweight design for optimal operation
- Unique Air Spring Drive System
- Fast stapling drives 18G staples with ease
- Shoots up to 1000 staples per charge

Skin supplied in Cardboard Box, includes belt hook, safety glasses, nose cap.
Skin only.

Specifications

Specifications				
Voltage		18V		
Driving system		Air Spring Drive		
Staple type	Crown Gauge	18G 1/4"		
Staple length		15 to 40mm		
Wire thickness		1.0mm to 1.25mm		
Depth adjustment	Tool-less	\checkmark		
LED light		\checkmark		
Belt hook		\checkmark		
Magazine capacity		110 Staples		





Scan for full tool specs.

NEW 18V | Cordless 13mm Fine Wire Stapler

N1812DAW4Z

- Optimal use for fastening of fabrics, leather, foils, plastic and cardboard
- Fast stapling speed for fastest working progress
- Compact and lightweight design
- Slim design allows to set staples as close as 4mm

Supplied with Belt Hook. Skin only.

Specifications

opoumoutions		
Voltage		18V
Driving system		Spring Drive
Staple type	Crown width	13mm
Staple length		6 - 13mm
Wire thickness		0.5 x 0.7mm
Quick stapling speed		Up to 5 staples/sec
Dry-fire lockout mechanism		\checkmark
Belt hook		\checkmark
Magazine capacity		150 Staples





Scan for full tool specs.



36V | Brushless Slide Compound Mitre Saw 305mm

C3612DRAH4Z

- Innovative Torque Boost Technology
- XACT Cut LED for casting accurate cutting line
- 305mm blade diameter

Supplied with TCT Blade & Wrench. Skin only.

Specifications

Voltage		36V
Blade Diameter		305mm
Mitre Angle	Left: 45°	Right: 57°
Bevel Angle	Left: 45°	Right: 45°
XACT Cut LED		\checkmark
Torque Boost		\checkmark
No Load Speed	HT: 3,200rpm	AS: 4,000rpm
Motor Type		Brushless
Weight (Skin)		26.2kg



Scan for full tool specs.

36V | Brushless Slide Compound Mitre Saw 255mm

C3610DRAH4Z

- Compact slide system
- Laser marker guide
- 255mm blade diameter Supplied with TCT Blade & Wrench. Skin only.

Specifications

	The second secon		
	Voltage		36V
	Blade Diameter		255mm
	Mitre Angle	Left: 55°	Right: 607°
	Bevel Angle	Left: 48°	Right: 48°
	Laser Marker		\checkmark
	LED Light		✓
	No Load Speed		AS: 4,000rpm
	Motor Type		Brushless
	Weight (Skin)		20.6kg



Scan for full tool spec

18V | Brushless Circular Saw 165mm

C1806DBH4Z

- Electric brake
- Rotation speed changeover function: Power mode / Silent mode
- 4,500rpm 1.2 times more cutting speed than the C18DBAL
- Integrated dust nozzle for optimal dust collection
- Easy to push handle for long & shallow cuts
- 3.3kg (inc. battery) compact & lightweight body

Supplied with saw blade, 5mm Hex bar wrench, dust adapter.

Specifications

Voltage		18V
Blade diameter		165mm
Cutting Depth 45° / 90°		45mm / 66mm
No Load Speed	Power mode	4,500rpm
	Silent mode	2,500rpm
Weight (Skin)		2.63kg



Scan for full tool specs.

36V | Brushless Circular Saw 185mm

C3607DBH4Z

- New Torque Boost Technology
- Smart AUTO switch function
- 185mm blade max cut 62mm at 90° Supplied with case.

Skin only.

Specifications

Specifications		
Voltage		36V
Blade Diameter		185mm
Max Cut	90° - 62mm	45° - 47.5mm
Torque Boost		✓
Modes	Auto Switch	High Torque
No Load Speed	6,000rpm	4,500rpm
Motor Type		Brushless
Hook Type	Rafter	✓
Weight (Skin)		3.7ka



Scan for full tool specs.

- 1

36V | Brushless Rear Handle Circular Saw 185mm

C3607DWAH4Z

- Lightest weight rear handle circular saw in the market
- Best balanced design
- Easy to push and cut a straight line
- Cutting speed equal to an AC-powered tool
- Kickback mitigation system

Supplied with saw blade, hook, wrench.

Specifications

Voltage	36V
Blade diameter	185mm
Cutting Depth 45° / 90°	45mm / 62mm
Maximum Bevel Angle	53°
No Load Speed	5,100rpm
Motor Type	Brushless
Dimensions	432 x 213 x 260mm
Weight (Skin)	3.73kg



Scan for full tool specs.

36V | Brushless Plunge Saw 165mm

C3606DPAH4Z

- Accurate precision cutting when fitted to a rail
- Variable speed function
- Double guide for superior precision
- Compatible with HiKOKI rail system Skin only.

Also available in a kit.

Specifications

Specifications		
Voltage		36V
Blade Diameter		165mm
Max Cut	0° - 66mm	45° - 43mm
Bevel Angle		-1° to 46°
No Load Speed	Low: 2,500rpn	n High: 5,200rpm
Motor Type		Brushless
Dust Port		\checkmark
Guide System	Bevel / Depth	\checkmark
Weight (Skin)		4.43kg



Scan for full tool specs.

COMBO KITS





- 1 x **DV18DE** 18V Brushless Impact (Hammer) Driver Drill
- 1 x WH18DE 18V Brushless Impact Driver 175Nm
- 2 x BSL36A18X (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x UC18YSL3 Rapid Charger with Cooling & USB Port
- 1 x Carry Case

Accessories not included.

\$549RRP*





- 1 x NR1890DCA 18V Gasless Framing Nailer 30-34° 90mm
- 1 x NT1865DAA 18V Gasless 15G DA Series Angled Finishing Nailer 34° 64mm
- 2 x BSL36A18X (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x UC18YSL3 Rapid Cooling Charger with USB Port
- 2 x Stackable Carry Case IV

Accessories not included.

\$1,499RRP*

36V | 5-Piece Brushless Combo

KC36D5P3HRZ (AU48000014)



- 1 x DV36DC 36V Brushless Impact (Hammer) Driver Drill 1 x WH36DC 36V Brushless 6.35mm (1/4") Impact Driver 215Nm
- 1 x G3613DVF 36V Brushless Angle Grinder Paddle (Deadman) switch with Brake 125mm
- 1 x C3607DB 36V Brushless Circular Saw 185mm
- 1 x CR36DA 36V Brushless Reciprocating Saw
- 2 x BSL36A18X (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x UC18YSL3 Rapid Cooling Charger with USB Port
- 1 x Premium Site Bag

Accessories not included.



\$1,699RRP

36V/18V | Brushless 9 Piece Combo



- 1 x G3613DVF 36V Grinder with paddle switch 125mm
- 1 x CV18DA 18V Brushless Cordless Multi Tool
- 1 x UR18DA 18V Cordless Bluetooth Radio
- 1 x RB18DC 18V Cordless Blower
- 3 x BSL36A18X (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x UC18YSL3 Rapid Charger with Cooling
- 1 x System Case 3
- 1 x Carry Bag

Accessories not included.





\$2,099RRP*

ENERGSE YOUR PERFORMANCE

HíKOKI TPWR **BATTERY SERIES**

THE NEW TABLESS CELL TECHNOLOGY



Ready for next-level energy? The HiKOKI T-PWR

battery is your power source, engineered to supercharge your performance and ready to conquer your challenging goals.

+ PERFORMANCE

2160WMAX OUTPUT

8.0AH (18V)

21700

HIGH OUTPUT TABLESS CELLS



BSL3640MVT HIGH OUTPUT TABLESS BATTERY 1080W MAX OUTPUT

5.0AH (18V)

2.5AH (36V)

18650

HIGH OUTPUT CELLS



BSL36A18X **HIGH OUTPUT BATTERY** 1440W MAX OUTPUT

8.0AH (18V)

21700

HIGH OUTPUT CELLS



BSL36B18X HIGH OUTPUT BATTERY

MAKE. MOVE. GO

HiKOKI

COMPATIBLE WITH 180+ 36V AND 18V HIKOKI POWER TOOLS



MAXIMIZE YOUR PRODUCTIVITY

Go for more power with the HiKOKI T-PWR battery, delivering ease and efficiency. You'll finish projects faster, giving you extra time to focus on new tasks or enjoy some personal time after a hard day's work.



FASTER WORKING

WORK SMARTER, NOT HARDER

Keep pushing, keep building, and let nothing slow you down. Complete heavy duty projects with fewer interruptions. Finish strong and make time for tackling your next big project or taking a break.



LONGER RUNTIME


GO FURTHER

Go further and keep your tools running cooler and stronger, ready to perform during heavyduty tasks. Trust your gear, leave doubt behind, and face the toughest challenges head-on.



TABLESS CELL TECHNOLOGY

The HiKOKI T-PWR Tabless Battery (BSL3640MVT) has been built with less internal resistance allowing for more power to flow from the tabless battery to the power tool increasing both the overload capacity and tool speed.



Standard cell

Tabless cell

CHARGING + POWER ON THE GO!



POWER CHARGING.

GO FURTHER.



PORTABLE USB POWER CHARGER SET UC18DAH4Z

Charge and power up on the move. Charge your HiKOKI 18V or MULTIVOLT Battery or use as a power bank for running devices. Includes integrated LED light.

Specifications:

- Output In/Out: USB-C (PD) 65W, 5-20V
- Output Out only: USB-C 5V/2.5A
- Includes: USB-C cable & AC power plug





FAST CHARGER

UC36YSL2H0Z

The UC36YSL2 delivers lightning-fast charging, thanks to its advanced cooling system and overcharging and overheating protection. Its bright charge status light makes it easy to check the battery anywhere on the worksite, always signalling that you're ready to start your next project.



RAPID CHARGER

UC18YSL3H0Z

Product Features:

- Approximately 38 minutes charging time (6.0Ah battery)
- Approximately 32 minutes charging time (5.0Ah battery)
- 18V Rapid charger with cooling and USB port
- Compatible with all HiKOKI 18V slide type li-ion batteries



4 PORT MULTI CHARGER

UC18YTSLH0Z

This versatile charger offers the flexibility of "Rapid Charge (one by one)" or "simultaneous charge". Equipped with two USB ports, it's not just for power tools but also for your devices.

Product Features:

- Switch between "Rapid Charge (one by one)" or "simultaneous charge"
- 2 x USB ports
- Can be powered by engine generators
- 2 stage overcharge protection system
- Charge indicator lamp to check status of each battery



36V BATTERY ADAPTER

ET36AH0Z

Enables seamless connectivity to AC power sockets for an endless runtime.

Product Features:

- Connect cordless MultiVolt tools[‡] to AC power socket for unlimited runtime
- Adaptor cord can be adjusted from 90 180 degrees for convenience

[‡]Not compatible with MultiVolt Grinders

