

# HIKOKI

## MITER SAW C10FSB2

| Item No. | Code No. | Description                              | No. Used | Remarks |
|----------|----------|------------------------------------------|----------|---------|
| 1        | 384078   | HEX. PAN HEAD SCREW M5X12                | 3        |         |
| 2        | 384378   | MITER SCALE                              | 1        |         |
| 3        | 384061   | WRENCH                                   | 1        |         |
| 4        | 384062   | WRENCH COVER                             | 1        |         |
| 5        | 384379   | BASE                                     | 1        |         |
| 6        | 384064   | FOOT MAT                                 | 4        |         |
| 7        | 384066   | EXTENSION ROD (B)                        | 2        |         |
| 8        | 384068   | EXTENSION TABLE (L)                      | 1        |         |
| 9        | 384069   | HEX. SOCKET SET SCREW M6X5               | 4        |         |
| 10       | 384077   | HEXALOBULAR PAN HEAD SCREW M4X12         | 2        |         |
| 11       | 384067   | EXTENSION ROD (A)                        | 2        |         |
| 12       | 384074   | HEX. LOCK NUT M10                        | 1        |         |
| 13       | 384075   | WASHER D10                               | 3        |         |
| 14       | 384076   | SPRING WASHER D10                        | 1        |         |
| 15       | 384072   | LOCK LEVER                               | 2        |         |
| 16       | 384071   | LOCK BOLT M6-LH                          | 1        |         |
| 17       | 384073   | LOCK BOLT M6-RH                          | 1        |         |
| 18       | 384070   | EXTENSION TABLE (R)                      | 1        |         |
| 19       | 384082   | HEXALOBULAR PAN HEAD SCREW M6X22         | 2        |         |
| 20       | 384081   | STOP PLATE                               | 1        |         |
| 21       | 384080   | SPRING WASHER D6                         | 1        |         |
| 22       | 384079   | LOCK NUT M6                              | 1        |         |
| 23       | 384083   | HEXALOBULAR PAN HEAD SCREW M4X10         | 9        |         |
| 24       | 384084   | SPRING WASHER D4                         | 6        |         |
| 25       | 384085   | WASHER D4                                | 3        |         |
| 26       | 384086   | CLAMP PLATE                              | 1        |         |
| 27       | 384087   | HEXALOBULAR PAN HEAD SCREW M4X20         | 1        |         |
| 28       | 384088   | WASHER D4                                | 4        |         |
| 29       | 384089   | CLAMP COVER                              | 1        |         |
| 30       | 384090   | CONNECTING ROD                           | 1        |         |
| 31       | 384091   | NUT BUTTON                               | 1        |         |
| 32       | 384092   | LOCK BLOCK                               | 1        |         |
| 33       | 384093   | LOCK SPRING                              | 1        |         |
| 34       | 384094   | CLAMP KNOB                               | 1        |         |
| 35       | 384380   | CLAMP SHAFT                              | 1        |         |
| 36       | 384096   | CLAMP LOCK KNOB                          | 1        |         |
| 37       | 384097   | HEXALOBULAR COUNTERSUNK HEAD SCREW M4X12 | 7        |         |
| 38       | 384099   | TABLE INSERT (R)                         | 1        |         |
| 40       | 384098   | TABLE INSERT (L)                         | 1        |         |
| 41       | 384109   | CYLINDRICAL PIN D6X61                    | 1        |         |
| 42       | 384132   | LOCKING HANDLE SHAFT                     | 1        |         |
| 43       | 384130   | TABLE SUPPORT                            | 1        |         |
| 44       | 384178   | SPRING WASHER D5                         | 4        |         |
| 45       | 384181   | WASHER D5                                | 2        |         |
| 46       | 384141   | HEXALOBULAR PAN HEAD SCREW M5X12         | 6        |         |
| 47       | 384112   | ADJUST SPRING                            | 1        |         |
| 48       | 384113   | BASE GRIP                                | 1        |         |
| 49       | 384381   | LOCK ROD                                 | 1        |         |
| 50       | 384103   | ADJUST PIN                               | 1        |         |
| 51       | 384102   | LOCK KNOB                                | 1        |         |
| 52       | 384100   | TABLE LOCK HANDLE                        | 1        |         |
| 53       | 384460   | HEXALOBULAR PAN HD. TP. SCREW ST4.2X6.5  | 2        |         |
| 54       | 384131   | PRESS PLATE                              | 1        |         |

\* ALTERNATIVE PARTS

# HIKOKI

## MITER SAW C10FSB2

| Item No. | Code No. | Description                             | No. Used | Remarks |
|----------|----------|-----------------------------------------|----------|---------|
| 55       | 384461   | HEXALOBULAR PAN HD. TP. SCREW ST4.2X13  | 2        |         |
| 56       | 384129   | MITER BLOCK                             | 1        |         |
| 57       | 384107   | WASHER D8                               | 2        |         |
| 58       | 384106   | PRESS SPRING                            | 1        |         |
| 59       | 384105   | SPRING PIN D3X16                        | 1        |         |
| 60       | 384382   | POSITIONING PLATE                       | 1        |         |
| 61       | 384111   | SPRING                                  | 2        |         |
| 62       | 384114   | FRICTION PAD                            | 5        |         |
| 63       | 384115   | HEX. SOCKET BOLT M6X20                  | 1        |         |
| 64       | 384383   | TURN TABLE                              | 1        |         |
| 65       | 384116   | HEX. NUT M8                             | 3        |         |
| 66       | 384117   | HEX. SOCKET SET SCREW M8X25             | 2        |         |
| 67       | 384119   | CONNECTING SHAFT                        | 1        |         |
| 68       | 384120   | WASHER D12                              | 1        |         |
| 69       | 384121   | HEX. LOCK NUT M12                       | 1        |         |
| 70       | 384384   | BEVEL SCALE                             | 1        |         |
| 71       | 384385   | ZERO POSITIONING PIN                    | 1        |         |
| 72       | 384386   | SPRING                                  | 1        |         |
| 74       | 384387   | LIMITING HOOK                           | 1        |         |
| 75       | 384388   | HEX. BOLT M10X50                        | 1        |         |
| 76       | 384125   | MITER INDICATOR                         | 1        |         |
| 77       | 384389   | FENCE                                   | 1        |         |
| 78       | 384390   | HEX. SOCKET BOLT                        | 4        |         |
| 79       | 384391   | WARNING LABEL (R)                       | 1        |         |
| 80       | 384392   | LOCK KNOB                               | 2        |         |
| 81       | 384393   | WARNING LABEL (L)                       | 1        |         |
| 82       | 384394   | FENCE (L)                               | 1        |         |
| 83       | 384395   | FENCE (R)                               | 1        |         |
| 84       | 384396   | FRICTION PLATE                          | 1        |         |
| 85       | 384397   | BEVEL POSITIONING PIN                   | 1        |         |
| 86       | 384135   | SPRING                                  | 1        |         |
| 87       | 384398   | HEX. SOCKET SET SCREW M8X75             | 1        |         |
| 88       | 384137   | BEVEL LOCK BUTTON                       | 2        |         |
| 89       | 384138   | HEX. NUT M10                            | 1        |         |
| 90       | 384399   | HEX. SOCKET SET SCREW M10X110           | 1        |         |
| 92       | 384140   | LOCK HANDLE                             | 1        |         |
| 93       | 384142   | CABLE HOOK                              | 2        |         |
| 94       | 384228   | CORD CLAMP                              | 1        |         |
| 95       | 384400   | HOLDER                                  | 1        |         |
| 96       | 384145   | BEARING COVER                           | 2        |         |
| 97       | 384146   | HEXALOBULAR COUNTERSUNK HEAD SCREW M5X8 | 3        |         |
| 98       | 384401   | BEVEL INDICATOR                         | 1        |         |
| 99       | 384148   | CUSHION PAD                             | 2        |         |
| 100      | 384149   | REAR BEARING COVER                      | 1        |         |
| 101      | 384150   | FELT                                    | 4        |         |
| 102      | 384151   | LINEAR BEARING 254035                   | 4        |         |
| 103      | 384152   | SLIDE PIPE                              | 2        |         |
| 104      | 384153   | LOCK KNOB                               | 1        |         |
| 105      | 384154   | SPRING                                  | 1        |         |
| 106      | 384155   | HINGE (A)                               | 1        |         |
| 107      | 384156   | SPACER SLEEVE                           | 2        |         |
| 108      | 384157   | HEX. SOCKET SET SCREW M6X10             | 4        |         |
| 109      | 384158   | SUPPORT                                 | 1        |         |

\* ALTERNATIVE PARTS

# HIKOKI

## MITER SAW C10FSB2

| Item No. | Code No. | Description                              | No. Used | Remarks            |
|----------|----------|------------------------------------------|----------|--------------------|
| 110      | 384402   | HINGE SHAFT                              | 1        |                    |
| 111      | 384403   | SLEEVE                                   | 1        |                    |
| 112      | 384404   | SPRING                                   | 1        |                    |
| 113      | 384162   | O-RING D4X1.8                            | 1        |                    |
| 114      | 384163   | STOPPER PIN                              | 1        |                    |
| 115      | 384164   | LIMIT SCREW                              | 1        |                    |
| 116      | 384143   | CABLE HOLDER                             | 2        |                    |
| *117     | 384405M  | SAW BLADE 254MM-D15.9 HOLE-NT40          | 1        | FOR USA,CAN        |
| *117     | 384405   | SAW BLADE 254MM-D15.9 HOLE-NT40          | 1        | FOR EUROPE,GBR,AUS |
| 118      | 384406   | OUTER FLANGE                             | 1        |                    |
| 119      | 384216   | WASHER D8                                | 1        |                    |
| 120      | 384168   | HEX. SOCKET BOLT M8X20-LH                | 1        |                    |
| 121      | 384407   | INNER FLANGE                             | 1        |                    |
| 122      | 384408   | RETAINING RING FOR D42 SHAFT             | 1        |                    |
| 123      | 384172   | LOCK WASHER                              | 2        |                    |
| 124      | 384409   | GUARD WHEEL                              | 2        |                    |
| 125      | 384410   | GUARD WHEEL SLEEVE                       | 2        |                    |
| 126      | 384411   | LOWER GUARD                              | 1        |                    |
| 127      | 384412   | DUST GUIDE                               | 1        |                    |
| 128      | 384176   | DUST PAD                                 | 1        |                    |
| 129      | 384413   | GUIDE HOLDER                             | 1        |                    |
| 130      | 384065   | HEXALOBULAR PAN HEAD SCREW M4X8          | 4        |                    |
| 131      | 384414   | LINK                                     | 1        |                    |
| 132      | 384180   | CONNECTING PIN                           | 1        |                    |
| 133      | 384182   | BALL BEARING 619/5-2Z                    | 1        |                    |
| 134      | 384415   | RETURN SPRING                            | 1        |                    |
| 135      | 384184   | BEARING SCREW                            | 1        |                    |
| 136      | 384185   | BALL BEARING 606-2RS                     | 1        |                    |
| 137      | 384186   | WASHER D6                                | 1        |                    |
| 138      | 384187   | LINK SCREW                               | 1        |                    |
| 139      | 384188   | HEX. SOCKET SET SCREW M6X16              | 2        |                    |
| 140      | 384189   | LOCK RING                                | 2        |                    |
| 141      | 384190   | HEXALOBULAR PAN HD. TP. SCREW ST4.2X13   | 18       |                    |
| 142      | 384079   | LOCK NUT M6                              | 2        |                    |
| 143      | 384416   | CARRY HANDLE (L)                         | 1        |                    |
| 144      | 384417   | CARRY HANDLE (R)                         | 1        |                    |
| *145     | 384418   | CORD 120V                                | 1        | FOR USA,CAN        |
| *145     | 384419   | CORD 230V                                | 1        | FOR EUROPE         |
| *145     | 384811   | CORD 230V                                | 1        | FOR GBR            |
| *145     | 384810   | CORD 240V                                | 1        | FOR AUS            |
| 146      | 384195   | CORD SLEEVE                              | 1        |                    |
| 147      | 384217   | DEPTH STOP SCREW                         | 1        |                    |
| 148      | 384196   | CORD CLIP                                | 1        |                    |
| 149      | 384208   | RELEASE BUTTON (L)                       | 1        |                    |
| 150      | 384209   | SAFETY BUTTON                            | 2        |                    |
| 151      | 384212   | PHILLIPS PAN HD. TAPPING SCREW ST2.9X9.5 | 2        |                    |
| 152      | 384210   | SAFETY BUTTON SPRING                     | 2        |                    |
| 153      | 384420   | POWER SUPPLY                             | 1        |                    |
| 154      | 384201   | SWITCH BUTTON (C)                        | 1        |                    |
| 155      | 384421   | SWITCH BUTTON COVER (A)                  | 1        |                    |
| 156      | 384200   | SWITCH BUTTON COVER (B)                  | 1        |                    |
| 157      | 384422   | UPPER HANDLE                             | 1        |                    |
| 158      | 384423   | NOISE SUPPRESSOR                         | 1        |                    |

\* ALTERNATIVE PARTS


# HIKOKI

## MITER SAW C10FSB2


| Item No. | Code No. | Description                             | No. Used | Remarks                                  |
|----------|----------|-----------------------------------------|----------|------------------------------------------|
| 159      | 384204   | TRIGGER                                 | 1        |                                          |
| 160      | 384205   | SWITCH SPRING                           | 2        |                                          |
| 161      | 384206   | MICRO SWITCH                            | 1        |                                          |
| 162      | 384424   | LOWER HANDLE                            | 1        |                                          |
| 163      | 384211   | RELEASE BUTTON (R)                      | 1        |                                          |
| 164      | 384219   | DUST COVER                              | 1        |                                          |
| 165      | 384197   | TERMINAL BLOCK                          | 1        |                                          |
| 166      | 384425   | LED HOLDER                              | 1        |                                          |
| 167      | 384426   | LED                                     | 1        |                                          |
| 168      | 384427   | LED COVER                               | 1        |                                          |
| *169     | 384428M  | MOTOR COMPONENT                         | 1        | INCLUD.200-207,209-228 FOR USA,CAN       |
| *169     | 384428   | MOTOR COMPONENT                         | 1        | INCLUD.200-207,209-228 FOR EUROPE,GBR,AU |
| 170      | 384429   | DEPTH STOP KNOB                         | 1        |                                          |
| 171      | 384225   | KNURLED NUT                             | 1        |                                          |
| 172      | 384226   | DEPTH STOP BLOCK                        | 1        |                                          |
| 173      | 384229   | DUST COLLECTION ELBOW                   | 1        |                                          |
| 174      | 384230   | DUST BAG ADAPTER                        | 1        |                                          |
| 175      | 384231   | DUST BAG FRAME                          | 1        |                                          |
| *176     | 384232M  | DUST BAG                                | 1        | FOR USA,CAN                              |
| *176     | 384232   | DUST BAG                                | 1        | FOR EUROPE,GBR,AUS                       |
| 177      | 384218   | DEPTH STOP SPRING                       | 1        |                                          |
| 178      | 384215   | HEXALOBULAR PAN HEAD SCREW M6X18        | 1        |                                          |
| 179      | 384227   | HEX. SOCKET SET SCREW M5X8              | 2        |                                          |
| 200      | 384233   | PHILLIPS COUNTERSUNK HEAD SCREW M5X16   | 2        |                                          |
| 201      | 384430   | BEARING HOLDER                          | 1        |                                          |
| 202      | 384431   | SPINDLE                                 | 1        |                                          |
| 203      | 384432   | BALL BEARING 6003-2RS                   | 2        |                                          |
| 204      | 384237   | RETAINING RING D35                      | 1        |                                          |
| 205      | 384433   | BEVEL GEAR                              | 1        |                                          |
| 206      | 384434   | OIL BEARING                             | 1        |                                          |
| *207     | 384435M  | GEAR CASE                               | 1        | FOR USA                                  |
| *207     | 384435   | GEAR CASE                               | 1        | FOR EUROPE,GBR,AUS                       |
| 209      | 384437   | MOTOR SHAFT PRESS PLATE                 | 1        |                                          |
| 210      | 384438   | CROSS SLEEVE SCREW M5X16                | 2        |                                          |
| 211      | 384439   | LOCK LEVER                              | 1        |                                          |
| *212     | 361257   | ARMATURE                                | 1        | FOR USA,CAN                              |
| *212     | 361258   | ARMATURE                                | 1        | FOR EUROPE,GBR,AUS                       |
| 213      | 384440   | BALL BEARING 6001-2RS                   | 1        |                                          |
| 214      | 384441   | RUBBER BUSH                             | 1        |                                          |
| 215      | 384442   | FAN GUIDE                               | 1        |                                          |
| 216      | 384443   | PHILLIPS PAN HD. TAPPING SCREW ST5X60   | 2        |                                          |
| *217     | 341254   | STATOR                                  | 1        | FOR USA,CAN                              |
| *217     | 341257   | STATOR                                  | 1        | FOR EUROPE,GBR,AUS                       |
| 218      | 384444   | MOTOR HOUSING                           | 1        |                                          |
| 219      | 384445   | CARBON BRUSH (1 PAIR)                   | 2        |                                          |
| 220      | 384446   | BRUSH CAP                               | 2        |                                          |
| 221      | 384447   | BRUSH HOLDER                            | 2        |                                          |
| 222      | 384253   | HEXALOBULAR PAN HEAD SCREW M5X40        | 4        |                                          |
| 223      | 384448   | SCREW COVER (A)                         | 2        |                                          |
| 224      | 384449   | SCREW COVER (B)                         | 2        |                                          |
| 225      | 384252   | HEX. SOCKET SET SCREW M5X8              | 2        |                                          |
| 226      | 384450   | SOFT START                              | 1        |                                          |
| 227      | 384256   | PHILLIPS PAN HD. TAPPING SCREW ST4.2X13 | 2        |                                          |

\* ALTERNATIVE PARTS

### \* ALTERNATIVE PARTS







MODEL  
C10FSB2(3/5)

