HiKOKI

THE END OF *GAS*



INTRODUCING THE NEW HIKOKI *SPEED SERIES*

The fastest, lightest, slimmest gasless nailers we've ever built!

NEW

SPEED SERIES

SPEED SERIES

FASTER LIGHTER SLIMMER *GASLESS*

MAGNESIUM CONSTRUCTION
Stronger.
Lighter.
Built to last.

AIR SPRING DRIVE SYSTEM
Maximum speed.
Longer life.
More reliability.

AGGRESSIVE NOSE DESIGN
Effortless skew nailing.



GAS-FREE POWER
No fumes.
No hoses.
No hassles.

43 MILLISECONDS RESPONSE TIME
Faster and more efficient.

4.5 NAILS / SECOND
Super fast nailing for maximum productivity.

THE NEW BENCHMARK FOR PROFESSIONAL FRAMING

NEW

MV Compatible

Next-generation battery system offering unparalleled flexibility. The HiKOKI MultiVolt battery seamlessly switches between powering 36V tools and virtually all HiKOKI 18V tools, giving you unmatched convenience and versatility.

BRUSHLESS

HiKOKI brushless AC motors deliver greater durability and longer life even under heavy use. There are no carbon brushes to regularly replace and no risk of armature burnout, layer short or commutator wear.


AIR SPRING DRIVE SYSTEM +

You no longer have to buy gas cartridges with our unique Air Spring Drive System which uses compressed air and produces no combustion noise or gas fumes. Another benefit is quicker nailing with zero ramp-up time.

NEW

INTERCHANGEABLE MAGAZINES*

UNIQUE FLEXIBILITY



Stay productive with the interchangeable magazine system. Switch quickly between different applications and adapt your nailer to the job – from framing to metal connectors and duplex nails.



384023

21° Duplex Nailer Magazine


Duplex nails ready: From 57-89mm. Easy to remove. Robust & light: Magnesium alloy. Formwork made fast: corner access. **In box. Including duplex nose.**



384021

33°-36° Metal Connector Nailer Magazine

Robust & light: Magnesium alloy. Slim & precise: Strap-tite probe tip. **In box. Including strap-tite probe nose.**



384014

30°-34° Long Framing Nailer Magazine

High capacity: For two nail strips – up to 103 nails. Faster working: Less reloading time compared to standard magazine. Robust & light: Magnesium alloy. **In box. Including framing nose.**

*For nailer models: NR1890DCB – Framing Nailer; NR1875DDA – Duplex Nailer; NR1865DKA – Metal Connector Nailer.

SPEED SERIES

NEW

THE FASTEST

18V GASLESS FRAMING NAILERS IN AUSTRALIA*

50-90mm

The lightest way to power through framing in Australia*. Drive nails up to 90mm with ease and frame faster with complete freedom of movement. Powered by the Air Spring Drive System+ and a cordless design, it requires no gas, hoses or compressors. Available with magazines for nails from 30°-34°.

AVAILABLE NOW!



T⚡PWR

MV Compatible

BRUSHLESS

AIR SPRING DRIVE SYSTEM+

*Within 18V cordless 90mm framing nailers in Australia. For more information on this, visit the HiKOKI website at www.hikokipowertools.com.au



AGGRESSIVE NOSE DESIGN FOR MAXIMUM GRIP



REPOSITIONED USER INTERFACE FOR BETTER VIEW AND ACCESS



HIGH QUALITY, LIGHTWEIGHT AND DURABLE MAGNESIUM HOUSING

SPEED SERIES FRAMING NAILER



NR1890DCBW6Z
SPEED SERIES
18V Gasless Framing Nailer

4.5 nails/sec. 3.4 kg (Skin only).
50-90mm nails. 30°-34° nail angle.

Super fast nailing speed with up to 4.5 nails per second. Lightweight design and only 3.4 kg without battery. 18V cordless power without hoses or gas cartridges. Air Spring Drive System+. Magnesium housing and magazine. 30°-34° magazine.
Skin only. Supplied with System Case 4, No Mar Tip, Belt Hook, Torx Key, Safety Glasses.



T⚡PWR
Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+





T⚡PWR
Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+

NR1890DCBHMZ
SPEED SERIES
18V Gasless Framing Nailer Kit

4.5 nails/sec. 3.4 kg (Skin only).
50-90mm nails. 30°-34° nail angle.

Super fast nailing speed with up to 4.5 nails per second. Lightweight design and only 3.4 kg without battery. 18V cordless power without hoses or gas cartridges. Air Spring Drive System+. Magnesium housing and magazine. 30°-34° magazine.
Includes nailer skin, supplied in System Case 4, No Mar Tip, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 1 x BSL1850MT T-Power (18V - 5.0Ah) Tabless Battery, 1 x BSL36A18X MultiVolt (36V/18V - 2.5Ah/5.0Ah) Battery A and UC18YSL3 Rapid Cooling Charger with USB Port.

SPEED SERIES

NEW

THE FIRST

18V GASLESS COIL NAILER

45–90mm

AVAILABLE FROM EARLY 2027

- ULTRA LIGHTWEIGHT
- ULTRA FAST NAILING - UP TO 4 NAILS/SEC
- SLIM BODY DESIGN
- FOR CONTINUOUS HIGH VOLUME NAILING
- LESS RELOADING WITH HIGH CAPACITY MAGAZINE - UP TO 200-300 COIL NAILS

Framing, Fencing, Sheeting, Siding, Wall Sheathing, Pallet & Crate Assembly, and more!



COIL MAGAZINE FOR EXTENDED OPERATION FOR HIGH VOLUME TASKS



ACCEPTS 45-90mm PLASTIC AND WIRE-COLLATED NAILS

MV Compatible BRUSHLESS AIR SPRING DRIVE SYSTEM+

SPEED SERIES COIL NAILER

NV1890DAW6Z
SPEED SERIES
18V Gasless Coil Nailer

4 nails/sec. 4.0 kg (Skin only).
45-90mm nails. 15°-16° nail angle.

The first 90mm 18V cordless coil nailer, built to change the game. Less reloading. Faster – drive up to 4 nails per second. Well balanced and lightweight thanks to ergonomic design and magnesium housing. 15°-16° magazine.
Air Spring Drive System+.
Skin only. Supplied with System Case 4, No Mar Tip, Belt Hook, Torx Key, Safety Glasses.



T⚡PWR
Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+





T⚡PWR
Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+

NV1890DAHMZ
SPEED SERIES
18V Gasless Coil Nailer Kit

4 nails/sec. 4.0 kg (Skin only).
45-90mm nails. 15°-16° nail angle.

The first 90mm 18V cordless coil nailer, built to change the game. Less reloading. Faster – drive up to 4 nails per second. Well balanced and lightweight thanks to ergonomic design and magnesium housing. 15°-16° magazine.
Air Spring Drive System+.
Includes nailer skin, supplied in System Case 4, No Mar Tip, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 1 x BSL1850MT T-Power (18V - 5.0Ah) Tabless Battery, 1 x BSL36A18X MultiVolt (36V/18V - 2.5Ah/5.0Ah) Battery A and UC18YSL3 Rapid Cooling Charger with USB Port.

SPEED SERIES

FASTER FORMWORK

18V GASLESS DUPLEX NAILER

45-75mm

AVAILABLE NOW!

EASILY REMOVEABLE DOUBLE-HEADED NAILS FOR FASTER FORMWORK

- FOR TEMPORARY FIXINGS AND FORMWORK
- USES EASY-TO-REMOVE DOUBLE-HEADED NAILS
- QUICKER REMOVAL
- LESS DAMAGE
- FASTER FORMWORK



T⚡PWR

MV Compatible

BRUSHLESS

AIR SPRING DRIVE SYSTEM+

Duplex nails

Duplex Nails are fired to the depth of the first head, leaving the second head exposed, allowing quick and easy removal.

Plastic-collated. 21° nail angle.
Finish: Bright. Shank type: Smooth.

Three nail sizes:
4100441 – 3.3 x 45/57mm
4100442 – 3.3 x 58/70mm
4100443 – 3.3 x 77/89mm

Packs of 2,000 nails available.



NR1875DDAH6Z
SPEED SERIES
18V Duplex Nailer

4.5 nails/sec. 3.4 kg (Skin only).
45-75mm duplex nails. 21° nail angle.

Duplex nails ready – easy to remove.
Robust & light: magnesium alloy housing.
Formwork made fast: corner access.
Slim & precise: Strap-tite probe tip.

Skin only. Supplied with System Case 4, Belt Hook, Torx Key, Safety Glasses.

THE LIGHTEST*

18V GASLESS METAL CONNECTOR NAILER

38-65mm

AVAILABLE NOW!

- LIGHTEST 18V BRUSHLESS 64mm METAL CONNECTOR NAILER (34°) IN AUSTRALIA
- FASTENING METAL CONNECTORS UP TO 9x FASTER COMPARED TO SCREW-DRIVING OR HAND NAILING
- STRAP-TITE PROBE FOR ACCURATE POSITIONING



T PWR
MV Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+

NR1865DKAW6Z
SPEED SERIES
18V Metal Connector Nailer

3.4 kg (Skin only).
38-65mm nails. 33°-36° nail angle.

Super fast nailing into metal connectors. Slim design to access narrow spaces. Lightweight design and only 3.4 kg without battery. 18V cordless power without hoses or gas cartridges. Magnesium housing and magazine. Air Spring Drive System+.

Skin only. Supplied with System Case 4, Belt Hook, Torx Key, Safety Glasses.



NR1865DKAHMZ
SPEED SERIES
18V Metal Connector Nailer Kit

Supplied with System Case 4, Belt Hook, Torx Key, Safety Glasses, 2 x BSL36A18X MultiVolt Batteries and UC18YSL3 Rapid Cooling Charger with USB Port.

* Within 18V cordless 64mm metal connector nailers in Australia. For more information on this, visit the HiKOKI website at hikokipowertools.com.au



NEW

LIGHTER

With an ultra-lightweight design from **just 3.4 kg**, HiKOKI nailers help reduce fatigue and improve control – so you can keep working comfortably, all day long.

FASTER

Engineered for rapid firing and consistent driving performance, HiKOKI nailers are built to keep pace with demanding jobs – helping you get more done in less time.

NO GAS, NO LIMITS

Powered by an advanced 18V battery, there's no need for gas cartridges. That means less maintenance and the freedom to work wherever the job takes you.

And on top of that you can save $$$ on running costs compared to gas powered nailers!

NEW



Gassless Framing Nailer
BL NR1890DCBW6Z
4.5/sec – 30°-34°

NEW



Gassless Metal Connector Nailer
BL NR1865DKAW6Z
33°-36°

NEW



Gassless Duplex Nailer
BL NR1875DDAH6Z
4.5/sec – 21°

NEW



Gassless Coil Nailer
BL NV1890DAW6Z
4/sec – 15°-16°

SPEED SERIES

T⚡PWR
MV Compatible
BRUSHLESS
AIR SPRING DRIVE SYSTEM+

THE COMPLETE
GASLESS NAILER RANGE

HiKOKI is proud to have the largest range of gasless nailers and staplers available to tradesmen in Australia. Our commitment to bringing the latest innovations and design improvements to our tools is unmatched. See our current range of nailers and staplers below.

GASLESS NAILERS & STAPLERS



◪ **Gassless Concrete Nailer**
BL NC1840DAW3Z
0° – 15-40mm nails



☐ **Gassless Framing Nailer**
BL NR1890DCAH4Z
30° – 50-90mm nails



■ **Gassless Brad Nailer**
BL NT1850DAW6Z
18 Gauge – 16-50mm nails



■ **Gassless Finishing Nailer**
BL NT1865DAW6Z
16 Gauge – 25-65mm nails



☐ **Gassless Finishing Nailer**
BL NT1865DAAH4Z
15 Gauge – 32-64mm nails



☐ **Gassless Finishing Nailer**
BL NT1865DSAH4Z
16 Gauge – 25-64mm nails



☐ **Cordless 23G Pin Nailer**
NP18DSALW4Z
23G x 35mm pins



☐ **Cordless Wire Stapler Tacker**
N1812DAW4Z
13mm nails



☐ **Gassless Narrow Crown Stapler**
N1804DAW4Z
18 Gauge – 12-40mm nails

Legend: BL Brushless Motor technology ■ In stackable case ◪ In blow case ☐ In cardboard box

HiKOKI'S FIRST 18V TABLESS FLATPACK BATTERY



T⚡PWR

BSL1850MT (383935)
HiKOKI T-PWR Battery
18V – 5.0 Ah – Tabless

Improved power delivery enabled by the latest cell technology featuring 5.0 Ah tabless cells.

Compact and intelligently engineered, it matches the power of a two-row battery pack with the same capacity (5.0 Ah) while requiring only a single row of cells.

Its' compact design ensures greater working comfort and reduces user fatigue.

HiKOKI

KOKI Australia Pty. Ltd.

10 Dalmore Drive
Scoresby, Victoria Australia 3179

1300 444 822
enquiry@hikokipowertools.com.au

www.hikokipowertools.com.au

Text subject to changes and typesetting / printing errors.

BATTERIES & CHARGERS

Spare batteries



☐ **BSL1820M** (377796)
Battery
18V – 2.0 Ah



☐ **BSL36A18X** (380082)
MultiVolt Battery
36/18V – 2.5/5.0 Ah



☐ **BSL36B18X** (380084)
MultiVolt Battery
36/18V – 4.0/8.0 Ah



☐ **BSL1850MT** (383935)
T⚡PWR Tabless Battery
18V – 5.0 Ah



☐ **BSL3640MVT** (381990)
T⚡PWR Tabless MultiVolt Battery
36/18V – 4.0/8.0 Ah

Battery + Charger Starter-Kits



☐ **UC18YSL3HJZ**
1 x MultiVolt BSL36A18X Battery
1 x UC18YSL3 Charger 18V – 2.0 Ah



☐ **UC18YSL3HHZ**
2 x MultiVolt BSL36B18X Batteries
1 x UC18YSL3 Charger

Chargers



☐ **UC36YSL2H0Z**
Fast Charger
MV – USB



☐ **UC18YSL3H0Z**
8A Fast Charger
18V/MV – USB



☐ **UC18YTSLH0Z**
8A Multiport Charger
4x 18V/MV – 230V – USB

AU40700070-20p